

# Wiha TORX® L-keys.

For TORX® screws.



## 366 TORX® L-key, long.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.

Order-No.	⊕	↔	↵	⊖	⊖
24313 5	T5	72	13	0.05	10
24314 2	T6	80	15	1/16	10
24315 9	T7	88	18	5/64	10
24316 6	T8	101	20	3/32	10
24317 3	T9	111	21	7/64	10
24318 0	T10	121	23	1/8	10
24319 7	T15	136	27	9/64	10
24320 3	T20	148	29	5/32	10
24321 0	T25	163	33	3/16	10
24322 7	T27	176	36	7/32	10
24323 4	T30	191	38	1/4	10
24324 1	T40	210	43	5/16	10
24325 8	T50	232	50	3/8	10



## 366 SZ13 TORX® L-key set in ProStar.

Manganese-phosphated, 13 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: Space saving ProStar allows the easy removal of each key without moving any others.  
All keys from T5 to T50 in one set.


Order-No.	⊖
24312 8	366 SZ13 5
⊕	366 T5 T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 T50

## SB 366 SZ13 TORX® L-key set in ProStar.

Manganese-phosphated, 13 pcs.  
Blister packed.

Order-No.	⊖
24852 9	SB 366 SZ13 5
⊕	366 T5 T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 T50

For TORX® screws.



NEW

## 366 H8 TORX® L-key set in holder.

Manganese-phosphated, 8 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: Popular key sizes kept in a well-organised holder.  
Simple, rapid operation with solid stopping point for L-keys.


Order-No.	⊖
34736 9	366 H8 5
⊕	366 T9 T10 T15 T20 T25 T27 T30 T40

NEW

## SB 366 H8 TORX® L-key set in holder.

Manganese-phosphated, 8 pcs.  
Blister packed.

Order-No.	⊖
34737 6	SB 366 H8 5
⊕	366 T9 T10 T15 T20 T25 T27 T30 T40



NEW

## 366 H7 TORX® L-key set in holder.

Manganese-phosphated, 7 pcs.

Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications.  
Extra: Popular key sizes kept in a well-organised holder.  
Simple, rapid operation with solid stopping point for L-keys.

Order-No.	⊖
34738 3	366 H7 5
⊕	366 T6 T7 T8 T9 T10 T15 T20

NEW

## SB 366 H7 TORX® L-key set in holder.

Manganese-phosphated, 7 pcs.  
Blister packed.

Order-No.	⊖
34739 0	SB 366 H7 5
⊕	366 T6 T7 T8 T9 T10 T15 T20

# Wiha TORX® L-keys.

For TORX® screws.



**363** TORX® L-key, short.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.

Order-No.	⊕	↔	⊥	●	⊖
03764 2	T5	39	18	2.5	10
01310 3	T6	41	18	2.5	10
01311 0	T7	44	18	2.5	10
01312 7	T8	47	18	2.5	10
01313 4	T9	51	19	3.0	10
01314 1	T10	54	20	3.0	10
01315 8	T15	57	22	3.5	10
01316 5	T20	62	23	4.0	10
01317 2	T25	67	25	4.5	10
01318 9	T27	72	27	5.5	10
01319 6	T30	79	30	6.0	10
01320 2	T40	86	33	7.0	10
01321 9	T45	90	36	8.0	10
01322 6	T50	104	41	9.0	10
01323 3	T55	120	47	12.0	10
01324 0	T60	134	52	14.0	10



**363 VB** TORX® L-key set in bench stand.  
Manganese-phosphated, 9 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Robust metal workbench holder to place on workbench or wall-mount. Tip diagrams printed to scale.

Order-No.	⊕	↔	⊥	●	⊖					
01326 4	363 VB				1					
⊕	363	T10	T15	T20	T25	T30	T40	T50	T55	T60

For TORX® screws.



**363 H9** TORX® L-key set in holder.  
Manganese-phosphated, 9 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	⊕	↔	⊥	●	⊖					
06376 4	363 H9				5					
⊕	363	T8	T9	T10	T15	T20	T25	T27	T30	T40

**SB 363 H9** TORX® L-key set in holder.  
Manganese-phosphated, 9 pcs.  
Blister packed.

Order-No.	⊕	↔	⊥	●	⊖					
27554 9	SB 363 H9				5					
⊕	363	T8	T9	T10	T15	T20	T25	T27	T30	T40



**363 HM7** TORX® L-key set in holder.  
Manganese-phosphated, 7 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	⊕	↔	⊥	●	⊖			
06375 7	363 HM7				5			
⊕	363	T6	T7	T8	T9	T10	T15	T20



**363 H6** TORX® L-key set in holder.  
Manganese-phosphated, 6 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For all TORX® screw applications in confined work spaces.  
Extra: Popular key sizes kept in a well-organised holder.

Order-No.	⊕	↔	⊥	●	⊖		
06374 0	363 H6				5		
⊕	363	T15	T20	T25	T27	T30	T40

# Wiha L-keys.

For TORX® Tamper Resistant screws.



**363TR** TORX® Tamper Resistant L-key, short.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX® Tamper Resistant screws (with security pin).  
Extra: Borehole in every blade tip.

Order-No.	⊕	↔	⊥	●	⊖
24105 6	T7H	44	18	2.5	10
24107 0	T8H	47	18	2.5	10
24109 4	T9H	51	19	3.0	10
24111 7	T10H	54	20	3.0	10
24113 1	T15H	57	22	3.5	10
24115 5	T20H	62	23	4.0	10
24117 9	T25H	67	25	4.5	10
24119 3	T27H	72	27	5.5	10
24121 6	T30H	79	30	6.0	10
24123 0	T40H	86	33	7.0	10



**363TR H9** TORX® Tamper Resistant L-key set in holder.  
Manganese-phosphated, 9 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX® Tamper Resistant screws (with security pin).  
Extra: Popular key sizes kept in a well-organised holder. Borehole in every blade tip.

Order-No.	⊕	↔	⊥	●	⊖					
25608 1	363TR H9				5					
⊕	363TR	T8H	T9H	T10H	T15H	T20H	T25H	T27H	T30H	T40H

**SB 363TR H9** TORX® Tamper Resistant L-key set in holder.  
Manganese-phosphated, 9 pcs.  
Blister packed.

Order-No.	⊕	↔	⊥	●	⊖					
27555 6	SB 363TR H9				5					
⊕	363TR	T8H	T9H	T10H	T15H	T20H	T25H	T27H	T30H	T40H

For TORX PLUS® and XZN® multipoint socket screws.



**361IP** TORX PLUS® L-key, short.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX PLUS® screws.  
Extra: The stronger profile of the TORX PLUS® tip allows up to 25% extra torque than the TORX® profile.  
Attention: TORX PLUS® keys cannot be used with TORX® screws.

Order-No.	⊕	↔	⊥	●	⊖
24513 9	6IP	41	18	2.5	10
24515 3	7IP	44	18	2.5	10
24517 7	8IP	47	18	2.5	10
24519 1	9IP	51	19	3.0	10
24521 4	10IP	54	20	3.0	10
24523 8	15IP	58	22	3.5	10
24525 2	20IP	62	23	4.0	10
24527 6	25IP	67	25	4.5	10
24529 0	27IP	73	27	5.5	10
24531 3	30IP	79	30	6.0	10
24533 7	40IP	88	33	7.0	10



**361IP H9** TORX PLUS® L-key set in holder.  
Manganese-phosphated, 9 pcs.  
Blade: Chrome-vanadium steel, through hardened, manganese-phosphated.  
Application: For popular TORX PLUS® screws.  
Extra: Popular key sizes kept in a well-organised holder.  
Attention: TORX PLUS® keys cannot be used with TORX® screws.

Order-No.	⊕	↔	⊥	●	⊖					
26246 4	361IP H9				5					
⊕	361IP	8IP	9IP	10IP	15IP	20IP	25IP	27IP	30IP	40IP



**355** XZN® L-key, short.  
Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Application: For XZN® multipoint socket screws.

Order-No.	⊕	↔	⊥	●	⊖
01243 4	M5	76	30		10
01244 1	M6	86	34		10
01245 8	M8	98	38		10
01246 5	M10	110	46		10
01247 2	M12	124	52		10
01248 9	M14	138	58		10
01249 6	M16	156	71		10

## Wiha Info

Colour-coding system:

- red: metric hex blades
- yellow: inch hex blades
- green: TORX® blades
- light green: TORX PLUS® blades